	Hits	Search Text	DBs
1	10	c-tones	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	133	c$2tones	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	81	c$1tones	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	20	c$1tones not cetones	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	2	"5349635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	2903	ping$1pong	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	2185	ping$1pong and signal$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2467	ping$1pong$5 and signal$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	1926	ping$1pong$5 and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	166	375/???.ccls. and ping$1pong$5 and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	120	375/???.ccls. and ping$1pong$5 and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	33	ping$1pong$5 and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5) and ack and (mode$1 near1 select$2) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	12	ping$1pong$5 and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5) and ack and (mode$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	1055	(signal$5 or data) and transmi$5 and (receiv$5 or recep$5) and (ack or acknowledg$5) and (mode$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	38	375/???.ccls. and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5) and (ack or acknowledg$5) and (mode$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	18	375/???.ccls. and handshak$5 and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5) and (ack or acknowledg$5) and (mode$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	0	(fig$5 with handshak$5) and transmi$5 and (receiv$5 or recep$5) and (ack or acknowledg$5) and (mode$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	(fig$5 with handshak$5) and transmi$5 and (receiv$5 or recep$5) and (mode$1 near1 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	37	(fig$5 with handshak$5) and transmi$5 and (receiv$5 or recep$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	1	(figure$2 near2 handshak$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	1	"2256558".URPN.	USPAT
22	1	(figure$2 near3 handshak$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	5	(figure$2 near4 handshak$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	12	(figure$2 near5 handshak$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	18102912	"605803.pnand" @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
26	0	"605803.pn" and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	0	"605803.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	0	"6052803.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	2	"6052803".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	4	("4742482" | "5444703" | "5574861" | "5633812").PN.	USPAT
31	2388	remot$2 and central$2 and handshak$5 and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	80	(remot$2 same central$2 same handshak$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	27	((stop or terminat$5 or suspen$5) near2 transmi$5) with (silenc$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	17	((stop or terminat$5 or suspen$5) near2 transmi$5) with (silenc$5) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	0	((stop or terminat$5 or suspen$5) near2 transmi$5) with (silenc$5) with startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	0	((stop or terminat$5 or suspen$5) near2 transmi$5) with (silenc$5) same startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	((stop or terminat$5 or suspen$5) near2 transmi$5) same (silenc$5) same startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	3	((stop or terminat$5 or suspen$5) near2 transmi$5) same (silenc$5) and startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	2	"5321722".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
40	2	ep-831624-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	2	ep-513527-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	2	ep-820168-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	2	"5493609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	2	"5715277".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	18	(("5493609") or ("6002722") or ("5479447") or ("4679227") or ("5644573") or ("5463382") or ("5377188") or ("4897831") or ("5349635")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	2	ep-981054503-$.did. ep-97420207-$.did. ep-993575607-$.did. ep-8201680-$.did. ca-2027230-$.did. ca-2111543-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	21	375/???.ccls. and handshak$5 and (signal$5 or data) and transmi$5 and (receiv$5 or recep$5) and (ack or acknowledg$5) and (mode$1 near2 select) and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	51	(("5668857") or ("5781617") or ("5852655") or ("5410343") or ("5757803") or ("5796808") or ("5751914") or ("5448566") or ("5163131") or ("5311578") or ("4680773") or ("5463661") or ("5644573") or ("5715277") or ("5608764") or ("5903608") or ("5910970") or ("5805669") or ("5400322") or ("5479447") or ("5682419") or ("5349635") or ("4897831") or ("5463382") or ("5377188") or ("5321722")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
49	16	(("5912921") or ("6064693") or ("5280586") or ("6002722") or ("4924456") or ("5103446") or ("6366567") or ("6263016")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	18	(("5493609") or ("5715277") or ("6466586") or ("6438226") or ("5970088") or ("6307836") or ("6298065") or ("6263016") or ("6081517")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	2	(375/222,375/220,375/219.375/295,375/316,375/354,375/358,375/365,370/276).ccls. and ((stop or terminat$5 or suspen$5) near2 transmi$5) same (silenc$5) and startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	2	(375/222,375/220,375/219,375/295,375/316,375/354,375/358,375/365,370/276).ccls. and ((stop or terminat$5 or suspen$5) near2 transmi$5) same (silenc$5) and startup and @ad<"19990801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB